/ 1 1 2021



Binocular stereozoom microscope head, 6.7x...45x

Observation Method -	Brightfield	As optional
Transmitted Light	Darkfield	As optional
	Simple polarized light	As optional
	Omple polarized light	As optional
Observation Method -	Brightfield	Yes
Incident Light	Simple polarized light	As optional
	Omple polarized light	As optional
Head	Туре	Binocular
Tiouc	Construction material	Plastic mold / Aluminum gears
	Inclination	45°
	360° rotating	Yes
	Interpupillary distance (mm)	51-75
	Fixing screw for eyepieces	Yes
	Head holder internal diameter (mm)	76
	Tube inner diameter (mm)	30
	Tube liller diameter (film)	30
Eyepieces	Field number (mm)	23
Еуеріесез	Magnification	10x
	Planar type	Yes
	Micrometric scale	As optional
		26
	Diameter of micrometer glass (mm)	Yes
	High eyepoint (for glass wearers)	
	Dioptric adjustment	Yes
	Rubber cup	Yes Yes
	Retractable protections	res
Objective	Optical system	Greenough
	Anti-fungus treatment	Yes
	Zoom Type	Parfocal achromatic
	Working distance (mm)	110
	Standard magnifications	6.7x-45x
	Zoom ratio	6.72
		At 0.67x, 0.8x, 1x, 1.2x, 1.5x, 2x, 2.5x, 3x, 3.5x, 4x,
	Zoom click stops	4.5x
	Objective numerical aperture	0.02 @ 0.67x
	Objective numerical aperture	0.07 @ 4.5x
	Objective resolution	59 lp/mm @ 0.67x
	,	208 lp/mm @ 4.5x
Accessories Included	Dust cover	Yes
Accessories included	User Manual	Digital version (downloadable)
	OSCI Maridai	Digital version (downloadable)
Product Dimensions	Head height (mm)	240
	Head width (mm)	167
	Head depth (mm)	200
	Trodd dopur (mill)	200
Product Weight	(kg)	1.8
Jaaot Troigin	(1.9)	1.0