





The Benchmark in Biobanking

State-of-the art engineering design featuring:

High efficiency – very low LN₂ consumption

- LN₂ storage in either liquid or vapor phase
- Near LN₂ temperatures maintained at top of inventory storage system for overall sample viability

Single pivot point aluminum turntable design – smooth rotation and ergonomic use

- Eliminates any mechanical component maintenance
- Full height, segmented and labeled turntable provides easy inventory storage access and management
- Convenient access to measure LN₂ level

Hinged lid and stainless steel table top – easy operation with a convenient working surface

- The lid includes locking capabilities and activates an automatic defog for quick viewing of inventory storage
- The table top provides a working surface and provides protection to electrical and plumbing components

Enhanced and intuitive controller technology:

- Discrete thermistor level measurement and thermocouple temperature resolution within 0.1°C
- Capabilities for data collection, event scheduling and enhanced security settings
- Second access point for monitoring temperature

LABS Series

Features



Integral folding step with slip-resistant surface



All units include a mechanical step lock for securing the step when stowed



Flexible Fill Hose with 1.27 cm I.D. includes dual swivel connectors and a 3/8" male NPT adaptor included with purchase.

| MODELS | | 20K | 38K | 40K | 80K | 94K |
|---|----------|-----------|-----------|-----------|-------------|-------------|
| External Operating Height | in. | 42 | 44 | 42 | 42 | 40 |
| (Top of Step to Lid opening) | mm. | 1067 | 1118 | 1067 | 1067 | 1016 |
| Step Height | in. | 11 | 11.5 | 11/16.3 | 11/17 | 11/22 |
| | mm. | 275 | 287.5 | 275/407.5 | 275/425 | 275/550 |
| Height | in. | 53 | 56 | 53 | 53 | 62 |
| (Floor to Opening) | mm. | 1346 | 1422 | 1346 | 1346 | 1575 |
| Usable Height, Internal | in. | 30 | 30 | 30 | 30 | 35.3 |
| | mm. | 762 | 762 | 762 | 762 | 897 |
| Outside Diameter | in. | 34 | 42 | 45 | 59.5 | 59.5 |
| | mm. | 864 | 1067 | 1143 | 1511 | 1511 |
| Internal Working Diameter | in. | 29.5 | 38 | 40.5 | 55 | 55 |
| | mm. | 750 | 965 | 1029 | 1397 | 1397 |
| Neck Opening | in. | 13 | 18 | 18 | 24.5 | 24.5 |
| | mm. | 330 | 457 | 457 | 622 | 622 |
| Capacity Total LN ₂ Capacity (Liquid Storage) Total LN ₂ Capacity (Vapor Storage) | L. L. | 371 36 | 623 73 | 698 80 | 1269 137 | 1595 300 |
| Weight, Empty | lb. | 650 | 930 | 920 | 1550 | 1700 |
| | kg. | 295 | 422 | 417 | 703 | 771 |
| Maximum Gross Weight | lb. | 1311 | 2040 | 2164 | 3811 | 4542 |
| | kg. | 595 | 925 | 981 | 1729 | 2060 |
| Inventory Control System Specifications | | | | | | |
| No. 100/81 Cell Racks | | 14 | 26 | 30 | 58 | 60 |
| No. Shelves/Rack | | 13 | 13 | 13 | 13 | 15 |
| No. 25 Cell Racks | | 4 | 12 | 8 | 12 | 8 |
| No. Shelves/Rack | | 13 | 13 | 13 | 13 | 15 |
| Vial Capacity, 2 ml | | 19500 | 37700 | 41600 | 79300 | 93000 |
| Bag 25 ml (7 Level Rack) | | 1624 | 2688 | 3108 | 5999 | 6856 |
| Bag 50 ml (7 Level Rack) | | 924 | 1582 | 1876 | 3381 | 3864 |
| Bag 250 ml (5 Level Rack) | | 500 | 900 | 990 | 1920 | 2304 |
| Bag 500 ml (5 Level Rack) | | 420 | 690 | 830 | 1610 | 1932 |



CONTACT US

US Toll Free: 844-273-7517 **Global:** +1 614-438-7968 / +43 7485 606 286 **Web:** WorthingtonIndustries.com/LifeSciences

©2016 Worthington Industries. All rights reserved.

Sales Support/Order Placement: customerservice@worthingtonindustries.com Technical Services: techservices@worthingtonindustries.com